

# QUIET DUO™ LR100 SERIES

700mA Dual Latch Retraction / Dogging Kit



**AVAILABLE FOR THESE BRANDS:** 

IDC

TownSteel

Marshall Best

• Von Duprin

Arrow

Sargent

• Yale

• PHI

SDC

Corbin Russwin

• Falcon

• Tell

Dor-O-Matic

Cal-Royal

Detex

Hager

• PDQ

• Dorma

• Adams Rite

• Falcon IR

Jackson

Stanley K2

APPLICATION

The IDC LR100 Series Electric Latch Retraction Kit enables electric access control and dogging of mechanical exit devices. When energized the motor retracts the exit device latch and pulls the pushpad into the dogged (depressed) position enabling momentary or sustained push and pull operation of the door.

The latch retraction mechanism may be activated by an access control, remote control device or building automation system. The exit device always provides uninhibited egress.

#### Field Installed Retrofit Kit

 UL Classified for use with 3hr fire rated & non-fire rated exit devices

#### **IDC Factory Installed Kit**


- UL Listed for use with 3hr fire rated & non-fire rated exit devices
- Distributor sends exit device to IDC for kit installation

For use with 3Hr fire rated and non-fire rated mechanical exit devices.

Only 700mA inrush / 200mA continuous @ 24VDC provides simultaneous latch retraction, dogging with pushpad depression unless specified otherwise.

#### **FEATURES**

- 700 mA Inrush, 200 mA Continuous @ 24VDC
- For access control and sustained dogging applications
- Simultaneous latch retraction and dogging (pushpad depressed) for most exit devices\*
- Pushpad is depressed\* electrically for quieter push / pull operation
- Automatic re-trigger if device does not pull on first try
  \* on designated models
- Eliminates need for costly replacement of existing exit device
- Significantly less labor and costs compared to competitive retrofit kits
- Low current enables longer wire runs with smaller gauge wire
- No door sequencers required for pairs of manual doors
- Installs in Von Duprin non-fire rated panic device without removing from the door




### **International Door Closers, Inc.**

COPYRIGHT 2017 INTERNATIONAL DOOR CLOSERS, INC



32" Opening (36" Device Modified for 32" Opening)



West: 800-544-4422 • East: 800-225-6737

www.intldoorclosers.com

## **ORDERING INFORMATION**

IDC (INTERNATIONAL DOOR CLOSERS)					
8000 SERIES I	8000 SERIES EXIT DEVICES				
Electric Latch	Retr	action / Dogging Devi	ice		
Opening Field Retrofit Kit Factory Installe			Factory Installed		
36"-48"	36"-48" LR100IDCK LR100IDC				
30"	30" LR100IDCKEM LR100IDCEM				
Options					
LRIDC1L	Latch Status Kit				
LRIDC1R	Push	Pushpad/Dogging Status or REXStatus Kit			

Models		
Standard		Narrow Line
8610 / 8810	Rim Mount	8510 / 8710
8630 / 8830	Surface Vertical Rod	8530 / 8730
8620 / 8820	Mortise	
8650 / 8850	Concealed Vertical Rod	8550 / 8750

VON DUPRIN 22 SERIES EXIT DEVICES				
Length	Field Retrofit Kit		Factory Installed	
36"- 48"	LR100VDK-2	.2	LR100VD-22	
30"	LR100VDK-2	2-EM	LR100VD-22-EM	
Models	Models			
22		Rim Mount		
2227		Surface Vertical Rod		
Options				
LRVD1L	LRVD1L Latch Status Kit for 22 Series			
LRVD2R	REX Status or Pushpad/Dogging Status for 22 Series			

VON DUPRIN 98/99 AND 33/35 SERIES EXIT DEVICES					
Opening		Field Reti	rofit Kit	Factory Installed	
36"- 48"		LR100VDK		LR100VD	
30"	LR100VD		K-EM	LR100VD-EM	
Models					
98/99	33A / 35A		Rim Mo	unt	
9827/9927	3327A / 3527A		Surface	Vertical Rod	
9847/9947	3347A / 3547A		Conceal	ed Vertical Rod	
9875/9975			Mortise		
9857/9957			Three P	oint latching	

DORMA EXIT DEVICES				
Opening	Field Retrofit Kit	Factory Installed		
36"	LR100DAK	LR100DA		
Models				
9300 / F9300	Rim Mount			
9400 / F9400	Surface Vertical Rod			

YALE 7000 SERIES EXIT DEVICES			
Length	Field Retrofit Kit		Factory Installed
36"	LR100YDK		LR100YD
30"	LR100YDK-E	M	LR100YD-EM
42"- 48"	LR100YDK-4	2/48	LR100YD-42/48
Models			
7100, 7102, 7200		Rim Mount	
7110, 7210		Surface Vertical Rod	
7120, 7220		Concealed Vertical Rod	
Options			
LRY1L	1L Latch Statu		
LRY1R	REX Status Kit		

CORBIN RUSSWIN • ED SERIES EXIT DEVICES				
Opening	Fie	Field Retrofit Kit		Factory Installed
36"	LR	100CRK		LR100CR
30"	LR	100CRK	-EM	LR100CR-EM
42"- 48"	LR	LR100CRK 42/48		LR100CR 42/48
Options				
LRCR1L			Latch Status Kit	
LRCR1R		REX Status Kit		
Models				
ED5200 / ED4200 Rim M		ount		
ED5400 Surfac		e Vertica	l Rod	
ED4800 / ED4800   Concea		Concea	led Vertic	cal Rod

HAGER 4500 SERIES EXIT DEVICES				
Opening		Field Retrofit Kit		Factory Installed
36"- 48"		LR100HK		LR100H
30"		LR100H	HK-EM	LR100H-EM
Models				
4501 - R	Rim Rim Mou			
4501 - S\	/R Surface		Surface Ver	tical Rod
Options				
LRH1L	Latch Status Kit			
LRH1R	Push	Pushpad/Dogging Status or REX Status Kit		

ADAMS RITE EXIT DEVICES				
Opening	Field Retrofit Kit		Factory Installed	
36"-48"	LR1	00ARK	LR100AR	
30"	LR100ARK-EM		LR100AR-EM	
Models				
8700** / 8800 / 3700		Rim Mount		
8100 / 8200 / 3100		Surface Vertical Rod		
8500 / 8600 / 3600		Concealed Ver	tical Rod	
Options				
LRARIR		REX Status Kit		

STANLEY K2 QED SERIES EXIT DEVICES				
Opening		Field Retrofit Kit	Factory Installed	
36"- 48"		LR100K2K	LR100K2	
30"		LR100K2K-EM	LR100K2-EM	
Models				
QED111	Rim	Mount		
QED114	Surfa	Surface Vertical Rod		
QED124	Conc	Concealed Vertical Rod		
Options				
LRK2R	Latc	Latch Status and REX Status or Pushpad/		
	Dog	ging Status Kit		

ARROW 1000 SERIES EXIT DEVICES				
Opening	Field Retrofit Kit Factory Installed			
36" - 48"	LR100AWK	LR100AW		
Models				
S1250	Rim Mount			
S1150	Surface Vertical Rod			
Opening	Field Retrofit Kit Factory Installed			
36"	LR100AWK-ED910 LR100AW-ED910			
Models				
S1250	Rim Mount			

## **International Door Closers, Inc.**

TOWNSTEEL	ED1100 SERIES EXIT	DEVICES	
Opening	Field Retrofit Kit	Factory Installed	
36"- 48"	LR100TSK	LR100TS	
30"	LR100TSKEM	LR100TSEM	
Models			
ED1100	Rim Mount		
ED1200	Surface Vertical Ro	od	
ED1300	Concealed Vertical	Rod	
Options			
LRTS1R	REX Status or Push	pad/Dogging Status Kit	
Opening	Field Retrofit Kit	Factory Installed	
36"	LR100TSK-55/56	LR100TS-55/56	
Models			
ED5500	Rim Mount		
ED5600	Surface Vertical Rod		
Options			
LRTS2R	REX Status or Pushpad/Dogging Status Kit FOR ED5500		
Opening	Field Retrofit Kit	Factory Installed	
36"	LR100TSK-65/67	R100TS-65/67	
Models			
ED6500	Rim Mount		
ED6700	Surface Vertical Rod		

PHI (PRECISION HARDWARE) EXIT DEVICES					
Length		Field Retrofit Kit	Factory Installed		
36"		LR100PDK	LR100PD		
Models					
2100 / 2	2400	Rim Mount			
2200 LE	BR .	Surface Vertical F	Surface Vertical Rod		
2800 LE	R / 2600	Concealed Vertical Rod			
5100		Rim Mount	Rim Mount		
5200 LE	BR	Surface Vertical F	Surface Vertical Rod		
Options	Options				
LRP1L	Latch Status Kit for PHI Rim 2000 Series				
LRP2L	Latch Status Kit for PHI Vertical Rod 2000 Series				
LRP1R	REX Status or Pushpad/Dogging Status for PHI 2000 Series				

TELL MFG. EXIT DEVICES				
Opening	Field Retrofit Kit	Factory Installed		
36"	LR100TEK LR100TE			
Models				
9500	Rim Mount			
9400	Surface Vertical Rod			

West: 800-544-4422 • East: 800-225-6737

FALCON DOR-O-MATIC EXIT DEVICES				
Opening	Field Retrofit Kit	Factory Installed		
36"	LR100FAK	LR100FA		
30"	LR100FAK-EM	LR100FA-EM		
Models				
1790 Rim Mount				
1690	1690 Concealed Vertical Rod			
Opening	Field Retrofit Kit	Factory Installed		
36"	LR100DMK	LR100DM		
Models				
1590	90 Rim Mount			
1490	Concealed Vertical Rod			

CAL-ROYAL EXIT DEVICES					
Opening	Field Retrofit	Kit	Factory Installed		
36"	LR100CAK		LR100CA		
Models					
7700 / F7700	Rim Mount				
7760 / F7760	Surface Vert	ical Rod			
Opening	Field Retrofit	Field Retrofit Kit Factory Inst			
36"	LR100CAK-98	300	LR100CA-9800		
Models	Models				
GLS9800	Rim Mount				
GLSCVR9800	Concealed V	ertical R	Rod		
Opening	Field Retrofi	t Kit	Factory Installed		
30"	LR100CAK-E	M	LR100CA-EM		
Models					
2200 / F2200 / 9	800 / F9800	Rim Mount			
2260 / F2260 / 9	860 / F9860	Surface	e Vertical Rod		

SDC 6000 SERIES EXIT DEVICES				
Opening		Field Retrofit Kit	Factory Installed	
36"- 48"		LR100SDCK	LR100SDC	
30"		LR100SDCKEM	LR100ISDEM	
Models	Models			
S6100 Rim		Mount		
S6200 Surfa		face Vertical Rod		
S6300	Mor	tise		
S6800	Con	cealed Vertical Rod		
Options				
LRSDC1L Late		h Status Kit		
LRSDC1R Push		npad/Dogging Status or REXStatus Kit		

FALCON 24/25 SERIES EXIT DEVICES				
Opening	Field Retrofit Kit Factory Installed			
36"	LR100FRK	LR100FR		
Models				
25-R / F-25-R 24-R / F-24-R	Rim Mount			
25-V / F-25-V 24-V / F-24-V	Surface Vertical Rod			
25-C / F-25-C 24-C / F-24-C	Concealed Vertical Rod			

MARSHALL BEST EXIT DEVICES				
Opening	Field Retrofit Kit Factory Installed			
36"	LR100MBSK LR100MBS			
30"	LR100MBSK-EM LR100MBS-EM			
Models				
Q1100/QF1100	Rim Mount			
Q1200/QF1200	Surface Vertical Rod			

PDQ EXIT DEVICES				
Opening	Field Retrofit Kit Factory Installed			
36"- 48"	LR100PDQK LR100PDQ			
Models				
6200R	Rim Mount			
6200V	Surface Vertical Rod			

TELL EXIT DEVICES				
Opening	Field Retrofit Kit	Factory Installed		
36"	LR100TEK LR100TE			
Models				
9500	Rim Mount			
9400	Surface Vertical Rod			

JACKSON 2000 SERIES EXIT DEVICES				
Opening	Field Retrofit Kit Factory Installed			
36"	LR100JAK LR100FR			
Models				
2095	Rim Mount			
2085	Concealed Vertical Rod (top latch)			
2086	Concealed Vertical Rod (top bolt)			

ACCESSOR	IES		
602RF	1 Amp Power Supply, UL Listed 294, for 1 or 2 exit devices		
632RF	2 Amp Power Supply, UL Listed 294 for 3 or 4 exit devices		
EMC	2 Station Automatic Door Sequence; Each EMC provides interface and sequencing for two single or one double automatic door.		
PTH-4Q	4-wire Electric Hinge, 1 Amp max. UL 10B		
PTH-4QDPS	4-wire, Electric Hinge 1 Amp max. UL 10B. With concealed Door Status Contact		
PTH-2+4Q	6-wire Electric Hinge 1-pair 16 Amp inrush, 4 Amp continuous; 2-pair 1 Amp @ 12/24V		
PTH-10Q	Ten (10) Conductor Power Transfer Hinge, 1 Amp @ 12/24V per pair		
PT-5	Concealed mortise power transfer device, UL 10B Fire Door Accessory		
PT-3V	Stainless steel door loop with surface wire junction		
PTM-2AL	Two (2) Conductor Power Transfer Device: Two (2) 18 Ga. wires 5 Amp @ 12/24V AC/DC, Aluminum Powder Coat, US28 equivalent		
PTM-2BZ	Two (2) Conductor Power Transfer Device: Two (2) 18 Ga. wires 5 Amp @ 12/24V AC/DC, Dark Brown Powder Coat, US10B equivalent		
PTM-10AL	Ten (10) Conductor Power Transfer Device: Ten (10) 24 Ga. wire 1 Amp @ 12/24V AC/DC, Aluminum Powder Coat, US28 equivalent		
PTM-10BZ	Ten (10) Conductor Power Transfer Device: Ten (10) 24 Ga. wire 1 Amp @ 12/24V AC/DC, Dark Brown Powder Coat, US10B equivalent		
400U-L2	Two LEDs. Specify lens color. Standard Finish, on 1 Gang plate		
400NU-L2	Two LEDs. Specify lens color. Standard Finish, on narrow plate		

DETEX EXIT DEVICE				
Opening	Field Retrofit Kit		ofit Kit	Factory Installed
36"	LR100D	ΧK	<u>,                                     </u>	LR100DX
Models				
10 / 40 Series		Rim Mount		
20 / 50 Series		Surface Vertical Rod		
80 / 81 / 62 / 63 Series		C	oncealed	Vertical Rod
Options				
LRDX1R			REX Stat	us Status Kit

SARGENT EXIT DEVICES				
Length	Field Retrofit Kit Factory Installed			
36"- 48"	LR100SGK	LR100SG		
30"	LR100SGK-EM	LR100SG-EM		
Models				
8500 / 8800	Rim Mount			
8700	Surface Vertical Rod			
8400 / 8600	Concealed Vertical Rod			
8300 / 8900	Mortise			
Options				
LRSG2R	Latch Status and REX Status or Pushpad/Dogging Status Kit			

MARKS EXIT DEVICES				
Opening	Field Retrofit Kit	Factory Installed		
36"	LR100MDK	LR100MD		
Models				
M9900	Rim Mount			
M9900VR	Surface Vertical Rod			

PAMEX EXIT DEVICES					
Opening		Field Retrofit Kit	Factory Installed		
36"- 48"		LR100PAK	LR100PA		
30"		LR100PAK-EM	LR100PA-EM		
Models					
EF9000	Rim Mount				
EF9000V	Surface Vertical Rod				
EF9020V	Concealed Vertical Rod				